



MORE THEN SOLAR

MINDIAN ELECTRIC CO., LTD.

Add: Malujiao Industrial Zone, North Baixiang town, Yueqing, Zhejiang, China. Sales call: 0577-62860666 0577-62860667 Http: www.moredaysolar.com E-mail: info@moredaysolar.com

MDYB220222

WWW.MOREDAYSOLAR.COM









COMPANY **PROFILE**

Founded in 2009, Moreday Solar is a R&D and manufacturing company integrating photovoltaics and new energy industry. The original intention of Moreday Solar is to bring more clean energy to the world and enjoy a better life.

The company's main products: photovolta-ic convergence and grid-connected prod-ucts, low-voltage electrical, energy storage and application products, solar power transmission and distribution products and solar system manufacturing.

The company takes solar energy sharing as its vision, technological innovation as its driving force, customer-oriented, and has obtained more than 30 national patents. Its products have passed CQC, CE, CB, TUV, ROHS and other certifications, and IS09001 quality system certification, with more than 1,000 services. Customers, the products are exported to more than 50 countries in Europe, America, Southeast Asia, the Middle East and other regions.

We hope to work with more partners to bring solar energy to every region of the world, promote the widespread use of green and clean energy, and leave more day for the earth











President's thoughts

As we look back on 2020, I am proud of how we adapted to the challenges that came our way. We took care of our employees, provided for our customers and partners, and prospered along the way.

We are optimistic about our resilience, flexibility, and solid business processes, reflecting the best in sustainability.

Sustainability is at our core at MOREDAY and our purpose remains to advance a sustainable future for all. As part of our commitment, we released our Reports on the development of the photovoltaic field in the next five years and better sustainable approaches. As we work towards an equitable energy future for all, we are aware of the importance of mobilizing the world to reduce the carbon footprint and electrify the planet.

We will continue to work hard to deliver high quality products that produce clean energy, save our customers money, and provide them with complete energy independence. Looking forward in 2021, we are excited about the strength in worldwide demand for solar, the ramp of our solar systems and upcoming new products, the higher levels of customer service, and our ongoing digital transformation efforts.

As always, I thank our employees, customers, partners, and shareholders for their continued support.


we will continue with our mission to deliver technology solutions that make clean energy affordable, reliable and accessible to all.

To be continued, More than solar

\$133

Dedao Huang President and CEO

Oct.20, 2021



Corporate Advantage

- Is09001 quality management system
- TUV, CE, CQC, CB, ROHS certifications



• Exported to more than 50 countries and regions all over the world

MOREDAY

- Professional Life Cycle Management
- Tailor-made services to specific needs
- Customer centered service system


MÖREDAY





Corporate partner





MOREDAY

Μ[©]REDΔΥ

Overview

The box variable structure is divided into six parts: the transformer body, the high pressure chamber, the low pressure chamber, the detection chamber, the switch operation room and the fuse chamber, which can be arranged according to the "mesh" type. The high-voltage side is protected by a terminal type load switch plus a fuse, and the fuse is a full-range current limiting type fuse.

The load switch and the fuse are installed in the transformer oil tank, and the insulating oil of the transformer is used as the insulating medium and the heat dissipating medium, With the advantages of compact structure and good heat dissipation performance. The high-pressure side outlet adopts a high-pressure dry casing to support the Tongan busbar structure, which is convenient for connecting multiple cable wires. The low-voltage side outlet can be directly routed or configured according to user requirements. The box changing door adopts a windproof hinge, and all the doors on the box are opened outward, the opening angle is not less than 90°, and a positioning device is provided. The doors are sealed, equipped with door seals, cushioning, and equipped with handles that protect against rain, blockage, rust and vandal. The box body is sealed by anti-theft structure. It is sealed with high-strength bolts and oil-resistant rubber gaskets. The whole box has no exposed detachable bolts.

The box body is made of stainless steel plate, the paint is imported car paint, all adopt the enamel paint method, anti-smoke, anti-humid heat, anti-mold, outdoor weather resistance.

Use Of Environmental Conditions

Altitude: ≤3000m; Ambient temperature: -40°C ~ +85°C; The outdoor wind speed does not exceed 35m/s; Shockproof: horizontal acceleration 0.3m/s²; vertical acceleration is not more than 0.15m/s²; Flood control level: Level III; Installation location: outdoor; When the above normal use environment conditions are exceeded, the company can personalize the design according to the user'srequirements.

The Main Technical Parameter

Voltage

High voltage side rated voltage: 6kV, 12kV, 35kV, 36.75kV, 38.5kV Low voltage side rated voltage: 0.27kV, 0.3kV, 0.315kV, 0.4kV Rated frequency: 50Hz Phase number: three phase Protection level: fuel tank IP68, high and low pressure room IP54, high voltage room door open IP3X

